

KALMAN, P.A. [E-11000, 10.]

Oxidation of sympathomimetic amines by rabbit liver monoamine
oxidase preparations and the inhibition of their oxidation by
phenylhydrazine and some of its derivatives. Ukr. biohim. zhur.
36 no.1:96-107 1964. (MIRA 17:12)

1. Department of Biochemistry of Kharkov Medical Institute.

UTEVSKIY, A.M. [Utievskiy, A.M.]; OSINSKAYA, V.O. [Osyn's'ka, V.O.];
KALIMAN, P.A. [Kaliman, P.O.]

Transformations of catechol amines via quinoids. Ukr.biokhim.zhur.
37 no.5:798-804 '65. (MIRA 18:10)

1. Kafedra biokhimi Khar'kovskogo meditsinskogo instituta i
Khar'kovskiy institut endokrinologii i khimii gormonov.

KALIMAN, P.A.

Role of monoamine oxidase of mitochondria in some rabbit organs in the oxidation of pyrocatecholamines and tyramine. Biokhimiia 30 no.6:1194-1203 N-D '65.

(MIRA 19:1)

1. Kafedra biokhimii Khar'kovskogo meditsinskogo instituta.
Submitted February 22, 1965.

FRANTSEVICH-ZABLUDOVSKAYA, T.F. [deceased]; KALIMANOVA, L.P.; SHARAFAN, G.I.

Photometric determination of palladium. Zhur. anal. khim.
18 no.9:1083-1089 S '63. (MIRA 16:11)

1. Institute of General and Inorganic Chemistry, Academy of
Sciences, Ukrainian S.S.R., Kiyev.

L 19721-65 EWT(m)/EWP(t)/EWP(b) JD
ACCESSION NR: AP4048839

S/0119/64/000/011/0016/0018

AUTHOR: Kalimanova, L. P.; Fominskaya, N. A.; Sharafan, A. I.;
Frantsevich-Zabludovskaya, T. F. (deceased)

TITLE: Producing thin nickel film on porcelain by a chemical nickel-plating
process

SOURCE: Priborostroyeniye, no. 11, 1964, 16-18

TOPIC TAGS: nickel plating

ABSTRACT: The results of experiments with chemical plating of 0.1-0.2-micron
nickel film on 20-cm² porcelain plates and 4.7-cm⁸ porcelain cylinders are
reported. The best method found of preparing the

of palladium chloride, pH = 2-3, for 5 min at 20°C with subsequent drying.

Fig. 1/2

L 19721-65

ACCESSION NR: AP4048839

treatment with a 5% solution of NaH_2PO_4 for 30 sec with subsequent washing; a second activation by the same palladium-chloride solution for 30-60 sec and drying. The nickel plating was performed in a nickel salt solution.

checking the liquor are indicated. Orig. art. has: 2 tables

ASSOCIATION: none

SUBMITTED: 00

INCL: 00

SUB CODE: MM, EC

NO REF SOV: 003

OTHER: 006

Card 2/2

KALIMANOVA, T.

"How We Produced High Yields of Grapes", P. 21, (KOOPEPATIVNO ZEMEDELIE,
Vol. 9, No. 2/3, 1954, Sofiya, Bulgaria)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4,
No. 1, Jan. 1955, Uncl.

KHRIPUNOV, G.G.; KALIMBEKOVA, D.A.; UTEPOV, Zh.K., tekhn. red.

[Mechanization of beet loading and unloading operations
in the sugar refineries of Kazakhstan] Mekhanizatsiia po-
gruzki i razgruzki svekly na sakharnykh zavodakh Kazakh-
stana. Alma-Ata, Gos.nauchno-tekhn.kom-t Soveta Mini-
strov Kazakhskoi SSR, 1960. 11 p. (MIRA 15:8)

(Loading and unloading—Equipment and supplies)
(Kazakhstan—Sugar industry)

L3503

S/051/62/013/006/024/027
E039/E120

24 3500
24 7800

AUTHORS: Gobov, G.V., Kalimbet, A.Z., Fedotov, A.P., and
Sheremet'yev, G.D.

TITLE: Polarisation of the quasilinear luminescence spectra
of perylene in the electric field at 77 °K

PERIODICAL: Optika i spektroskopiya, v.13, no.6, 1962, 879

TEXT: This work was undertaken in order to observe the
optical effects associated with radiation from electrets and to
study the kinetics of the electret condition. Perylene was chosen
because of its extensive cloud of π -electrons, which under the
action of an electric field might produce a noticeable effect on
its luminescent spectrum. In the absence of an electric field the
luminescence of perylene in n-heptane observed at right angles to
direction of the exciting beam (366 mmk natural light) is 32%
polarised. The degree of polarisation along the line of excitation
is zero. When a solution of perylene in n-heptane is frozen in an
electric field of 25 kV/cm the luminescence observed along the line
of excitation is 26% polarised. An investigation of the

Card 1/2

Polarisation of the quasilinear ...

S/051/62/013/006/024/027
E039/E120

dependence of the intensity of luminescence on the position of the plane of polarisation of the exciting light in the absence of an electric field, and when frozen in an electric field, showed that the intensity in the first case remained constant, but in the second case could change by a factor of two. Electric polarisation observed by another author for organic solutions at room temperature and 150 kV/cm gave a degree of polarisation of 0.1. By using the electret condition and Shpol'skiy's method the authors have obtained significant electric polarisation of luminescence at comparatively small fields. Investigations are being carried out on other aromatic hydrocarbons (pyrene, chrysene and others).

SUBMITTED: June 19, 1962

[Abstractor's note: Abridged translation.]

Card 2/2.

Kalimbetov, F.

KALIMBETOV, F., prepodavatel'

Work order for construction projects. Sel'.stro1.12 no.12:25
D '57. (MIRA 10:12)

1. Moldavskaya respublikanskaya shkola desyatnikov-stroiteley.
(Wages) (Construction industry)

USSR/Chemical Technology -- Chemical Products and Their Application. Silicates.
Glass. Ceramics. Binders, I-9

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 1545

Author: Usatenko, Yu. I., Vinik, M. I., and Kalinkovich, Ye. A.

Institution: Dnepropetrovsk Chemical Engineering Institute

Title: Investigation of Solid Phase Reactions for the Purpose of Revealing
Acid Insoluble Materials

Original

Periodical: Tr. Dnepropetr. khim.-tekhnol. in-ta, 1955, No 4, 95-107

Abstract: A number of solid-phase reactions have been investigated with a view toward achieving the solution of acid insoluble compounds. A 0.5 gms sample of iron ore agglomerate (A) was sintered with 0.3 gms Na_2CO_3 at 500-1,100°, in steps of 50°. The analysis of A was as follows (in percent): SiO_2 , 13.4; Fe^{3+} , 44.8; Fe_2^{2+} , 15.9; CaO , 1.08; Mn , 0.14; P , 0.023; S , 0.011. Maximum weight loss was observed for the mixture when sintering was carried out at 900-950°. At temperatures above 950° an insignificant increase in weight was

Card 1/2

USSR/Chemical Technology -- Chemical Products and Their Application. Silicates.
Glass. Ceramics. Binders, I-9

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 1545

Abstract: observed, owing to the oxidation of Fe^{2+} . Activation of the surface, determined from sorption properties, begins at 600° ; maximum sorption is observed at 900° and $1,100^\circ$. At 950 - $1,000^\circ$ sorption is sharply reduced. Mixtures sintered at 900° showed a maximum amount of $\text{Na}_2\text{Fe}_2\text{O}_4$; increasing the sintering time by 5 to 10 minutes reduces the $\text{Na}_2\text{Fe}_2\text{O}_4$ content. The rate of solution of the sintered samples in 1 N HCl (cold) increases when the temperature is raised to 900° and decreases at temperatures above 950° . Increasing the sintering time at 900 - 950° 5 to 10 minutes leads to a reduction in solubility rate. For the purpose of establishing the mechanism of the reaction, a mixture of $\text{Na}_2\text{CO}_3 + \text{FeO} \cdot \text{SiO}_2$ was sintered, the proportion of the second component in A attaining 29.1%. When such a mixture is sintered at 900° the rate of oxidation of the ferrous oxide is slower than that observed when fayalite is heated in the absence of Na_2CO_3 . Samples sintered at 950 - $1,050^\circ$ for one minute exhibited the highest solubility rate. Increasing the temperature and sintering time reduces the rate of solution. The utilization of a mixture of 95% Na_2CO_3 and 5% NaCl or KNaCO_3 in the place of Na_2CO_3 reduces the optimum sintering temperature by 80 - 100° .

Card 2/2

POLYKOVSKIY, M.D., professor; LYAUSHKIN, A.V., mladshiy nauchnyy sotrudnik;
KALINOV, A.M., mladshiy nauchnyy sotrudnik

Serological method for the diagnosis of braxy and infectious enterotoxemia in sheep. Trudy VIEV 22:76-92 '59. (MIRA 13:10)
(Serum diagnosis) (Sheep--Diseases and pests)

KALIMOV, Yu. I., inzh.

Irrregularity of gas emission in coal mines. Bezop.truda v
prom. 5 no.7:11-13 JI '61. (MIRA 14:6)

1. Pechorskiy nauchno-issledovatel'skiy ugol'nyy institut.
(Mine gases)

KALIMULIN, Safi Lutfulich; MIKHALKEVICH, T.V., redaktor; VEDENYEV, Ye.A.,
tekhnicheskiiy redaktor

[The study of the law of gases in the secondary school] Izucheniya
gazovykh zakonov v srednei shkole. Moskva, Gos. uchebno-pedagog.
izd-vo Ministerstva prosveshcheniya RSFSR, 1954, 59 p. (MLRA 8:7)
(GASES)

KALIMULIN, S.M.

Stratigraphy of the late Sinian of the eastern margin of the Aldan
Shield. Trudy VAGT no.7:38-41 '61. (MIRA 14:7)
(Aldan Plateau—Geology, Stratigraphic)

ALEKSEYEV, V.R.; GAVRILOVA, Z.S.; KALIMULIN, S.M.; MORALEV, V.M.;
NUZHNOV, S.V.; SHPAK, N.S.

Problem of the ancient rare metal placers of the eastern
part of the Aldan Plateau. Dokl.AN SSSR 144 no.2:409-411 My
'62. (MIRA 15:5)

1. Aldanskaya ekspeditsiya Vsesoyuznogo aerogeologicheskogo
tresta. Predstavleno akademikom N.M.Strakhovym.
(Aldan Plateau--Rare earth metals) (Geological time)

KALIMULLIN, B.G., otv. red.; DOKHTUROV, P.P., red.; YEFIMOV, V.N.,
red.; GROBOVA, Yu.P., red.; SHAFIN, I.G., tekhn. red.

[Problems of designing and building in Ufa] Voprosy planirovki i zastroiki Ufy. Ufa, 1961. 78 p.

(MIRA 17:3)

1. Geograficheskoye obshchestvo SSSR. Bashkirskiy filial.
2. Chlen-korrespondent Akademii stroitel'stva i arkhitektury SSSR (for Kalimullin).

KALIMULLIN, R., inzh.

Automatic control of the feeding of a grain combine. Trakt.
i sel'khoz mash. no.8:20-21 Ag '65. (MIRA 18:10)

1. Tatarskoye respublikanskoye otdeleniye "Sel'khoz tekhnika".

XALIMULLIN, R., georg Sotsialisticheskogo truda

My suggestions to the designers of the "Stalinets-6" combine.
Sel'khoz mashina no.8:9-10 Ag'55. (MIRA 8:11)

1. Kombayner Muralinskoy mashino-traktornoy stantsii, Tatarskoy
ASSR

(Combines (Agricultural machinery))

KALIN, M.A.
USSR/Kinetics. Combustion. Explosions. Topochemistry. Catalysis. B-9

Abs Jour : Ref Zhur - Khimiya, No 8, 1957, 26248

Author : Yu.G. Mamedaliyev, M.A. Kalin, A.Z. Shikhmamedbekova, D.I. Sailov

Inst : Academy of Sciences of Azerbaijan SSR

Title : Catalytic Dehydrogenation of Isopentenenes into Isoprene

Orig Pub : Me'ruzeler Azerb. SSR elmer Akad., Dokl. AN Azerb. SSR, 1956, 12, No 8, 547-552

Abstract : The dehydrogenation of 3-methylbutene-1 (I) and 2-methylbutene-1 (II) with the industrial catalysts of the brands K_{12} and K_{16} , which had been proposed earlier for the dehydrogenation of butenes (RZhKhim, 1956, 50637), was studied at 535 to 640°. It was found that also the dehydrogenation of isopentenenes occurred with K_{12} and K_{16} . The yield of isoprene by I reaches 14 to 16% of the raw material treated at 600 to 640° at a volumetric speed of 3.0 to 3.6 lit per lit of the catalyst per hour in case of K_{12} , and the yield by II reaches 15.5 to 18%; in case of K_{18} , the yield of isoprene by I is 22 to 24%, and that by II is 19 to 20% of the treated raw material.

Card : 1/1

KALIN Nikolay Fedorovich; KALANTSEV, Mikhail Iavrovich; SHSLEGOV, Pavel
Konstantinovich; SNEGIREV, L.S., redaktor; MEDVEDEV, L.N.,
tekhnicheskly redaktor

[Survey of 3-10 kw overhead electric lines] Izysskaniia vozdukhnykh
linii elektroperedachi 3-10 kv. Pod red. N.F.Kalina. Moskva, Gos.
energ.izd-vo, 1957. 158 p. (MLJA 10:10)
(Electric lines--Overhead)

8(3)

PHASE I BOOK EXPLOITATION

SOV/2164

Kalin, Nikolay Fedorovich, and Mikhail Lavrovich Kazantsev

Izyskaniye i proyektirovaniye kabel'nykh liniy electropredachi 3 - 35 kv
(Survey and Design of 3 - 35 KV Electric Cable Transmission Lines) Moscow,
Gosenergoizdat, 1958. 190 p. 9,450 copies printed.

Ed.: A.L. Fayerman; Tech. Ed.: G.I. Matveyev.

PURPOSE: This book is intended for engineers and technicians concerned with the survey and design of cable transmission lines. It may also serve as a textbook for students of power-engineering institutes and tekhnikums.

COVERAGE: The book covers problems of surveying and designing 3 - 35 kv cable transmission lines for industrial plants and cities. It also deals briefly with the laying of various underground communication lines serving the cable networks. The authors discuss problems of investigating ground conditions along the proposed cable route and outline a detailed program of preliminary survey and technical investigation. They provide information necessary for selecting the type and size of cable, and information on cable-laying methods, capping and connecting conductors, and methods of grounding and protection against corrosion. The section

Card 1/4

KALIN, Nikolay Fedorovich; KAZANTSEV, Mikhail Lavrovich; SEMIGIRYEV, L.S.,
red.; BORUNOV, N.I., tekhn.red.

[Surveying operations in the construction of overhead electric
power transmission lines] Inyskaniia trass, vozdushnykh lini
elektroperedachi. Izd.2., perer. i dop. Pod red. N.F.Kalina,
Moskva, Gos.energ.isd-vo, 1961. 247 p. (MIRA 14;12)
(Electric lines--Overhead)

KALIN, R. P.

KALIN, R. P.: "Amplitude-frequency, phase-frequency, and transitory characteristics of amplifiers with distributed amplification." Min Communications USSR. Moscow Electrical Engineering Inst of Communications. Moscow, 1956.
(Dissertation for the Degree of Candidate in Technical Sciences)

Knizhnaya letopis', No 39, 1956, Moscow.

Kalin, S.

KALIN, S. New lixiviation work at the Utok Leather Factory in Kamnik. p. 260.

Vol. 6, no. 4, Nov. 1955
NOVA PROIZVOĐNJA
Ljubljana, Yugoslavia

So: Eastern European Accession Vol. 5 No. 4 April 1956

KALIN, S. M. D.

YUGOSLAVIA/Chemical Technology - Chemical Products and Their
Application. Leather. Fur. Gelatin. Tanning
Agents. Technical Proteins.

H-35

Abs Jour : Ref Zhur - Khimiya, No 8, 1958, 27452

Author : Kalin Samo

Inst : -

Title : Treatment of Lignosulfonic Acid with Solutions of Alkalies.

Orig Pub : Koza i obuca, 1956, 5, No 4, 134-137

Abstract : Laboratory experiments were carried out on amelioration of tanning properties of lignosulfonic acid (LSA). The best results were obtained on treatment of LSA with alkalies, in two stages:
1) LSA ("Pinotan") is boiled for 30 minutes with Na_2CO_3 (pH 8), cooled and allowed to settle for 24 hours, separated from the precipitate and evaporated to dryness;
2) Dry LSA (10 parts) is added to fused NaOH (25 parts)

Card 1/2

- 109 -

Samo, KALIN

YUGOSLAVIA / Chemical Technology, Chemical Products and Their
Application: Part 4 - Leather, Furs, Gelatin,
Tanning Agents, Industrial Proteins.

H-34

Abs Jour : Ref. Zhur. Khimiya, No 4, 1958, 13347.

Author : Samo Kalin.

Inst : Not given

Title : Influence of Various Solutions of Tanning Chrome Salts on
Swelling of Collagen.

Orig Pub : Koza i obuka, 1957, 6, No 1, 1 - 5.

Abstract : The following solutions were tested: 1/ $\text{Na}_2\text{Cr}_2\text{O}_7$ +
 H_2SO_4 + molasses, basicity 36%, 2/ $\text{Na}_2\text{Cr}_2\text{O}_7$ + molasses +
+ H_2SO_4 (sic!), basicity 36%, 3/ $\text{Na}_2\text{Cr}_2\text{O}_7$ + SO_2 , basicity
36%, 4/ $\text{Na}_2\text{Cr}_2\text{O}_7$ + SO_2 + mixture of HCOOH and $\text{H}_2\text{C}_2\text{O}_4$, basi-
city 20%, at the concentration of Cr_2O_3 from 10 to 100 g

Card 1/2

Card 2/2

YUGOSLAVIA/Chemical Technology. Chemical Products H
and Their Applications. Leather. Furs.
Gelatin. Tanning Materials. Industrial
Proteins.

Abs Jour : Ref Zhur-Khimiya, No 6, 1959, 21967

Author : Kalin, Samo

Inst : -

Title : Perfected Method for Determining Basicity
of Solutions of Tanning Chromium Salts.

Orig Pub : Kozha i obuca, 1958, 7, No 5, 173-175

Abstract : The perfected method consists of all so-
lutions being prepared in double-distilled
water, the pH of which reaches 7.0. During
the secondary distillation, nitrogen is
passed through the water. After distilla-
tion, the water is degasified by means of

Card : 1/2

YUGOSLAVIA/Chemical Technology. Chemical Products H
and Their Applications. Leather. Furs.
Gelatin. Tanning Materials. Industrial
Proteins.

Abs Jour : Ref Zhur-Khimiya, No 6, 1959, 21967

a water vacuum pump for 3 hours and preserved in a paraffinated vessel or in a Filax-glass vessel. It is often necessary to inspect the electrical conductivity of the water; it must be $0.4 \cdot 10^{-7}$. -- Z. Lebedeva

Card : 2/2

14-179

Country : YUGOSLAVIA/Chemical Technology. Chemical H
 Category : Products and Their Applications. Leather. Fur.
 Gelatin. Tanning Materials. Industrial
 Abs. Jour : Ref. Zhur. - Khim., No. 10, Materials.
 1959, 37388.
 Author : Kalin S.
 Institut. : Not given.
 Title : A Perfected Method for the Determination of
 the Basicity of Chromium Salts in Industrial
 Solutions.
 Orig. Pub. : Kozma i obuka, 1958, 7, No. 7, 257-259.
 Abstract : A simplified method for the determination of
 the basicity of chromium salts in industrial
 solutions consists as follows: to 50 ml of an
 analytical solution containing about 1 g/l of
 Cr, 20 ml of 0.2 N. solution of NaOH are added
 and the mixture is boiled for 1 minute until
 $\text{Cr}(\text{OH})_3$ is precipitated. The residue is fil-
 tered by the "blue ribbon" filter or the Gooch
 filter and washed 3 times with boiling water.
 The filtrate, together with the wash waters,
 are acidified with 20 ml of 0.2 N. HCl solu-
 tion and titrated inversely with 0.2 N. NaOH.

Card: 1/2

KALIN, Samo, dr. inz.

Automation in leather industries. *Automatika* 3 no.1:34-38 F 162.

KALIN, V.N.; CHERTOV, P.N.

Effect of the degree of dullness of the cutting edge of a bore bit
on the speed of boring. Gor. zhur. no. 6:41-42 Je '61. (MIRA 14:6)

1. Tuimskoye gornopromyshlennoye upravleniye.
(Rock drills)

KALINA, I.


Standardization in the leather industry. p. 61

NORMALISACE. Praha. Vol. 3, no. 3, Mar. 1954

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3, March 1956

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R000620030004-6



APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R000620030004-6"

MALANCHEV, L.; SELYAKOV, L., zamestitel' general'nogo konstruktora
samoleta TU-134; SHENGARDT, A., inzh.; KALINA, A., letchik

The Tu-134 airplane. Grazhd. av. 21 no.12:20-21 D '64.
(MIRA 18:12)

1. Korrespondent zhurnala "Grazhdanskaya aviatsiya" (for
Malanchev).

KALINA, Antonin (Praga)

Trends of technological development in the Czechoslovak shoe industry. Bor oipo 13 no.4:115-119 JI '63.

KALINA A.P.
STOVBUN, F.I.; KALINA, A.P.; BRYZGUNOVA, Ye.V.

Dynamics of changes in the composition of intestinal microflora in dysentery and in dysenterylike diseases in children; author's abstract. Zhur.mikrobiol.epid. i immun. 29 no.2:112-113 P '58. (MIRA 11:4)

1. Iz bakteriologicheskogo otdela Chernovitskoy gorodskoy sanitarno-epidemiologicheskoy stnatsii.
(DYSENTERY, BACILLARY, in infant and child.
intestinal bacteriol. changes in dysentery & dysentery-like infect. (Rus)

KALINA, A.P.

Characteristics of enterococci of various origin. Zhur.
mikrobiol., epid. i immun. 42 no.10:95-100 O '65. (MIRA 18:11)

1. Gosudarstvennyy kontrol'nyy institut meditsinskikh
biologicheskikh preparatov imeni Tarasevicha. Submitted
December 9, 1964.

KALINA, C.

(2647)

Chuslovsky
Infek. odd. SON, Bulovka, Praha; Detské odd. SON, Bulovka, Nový diagnostický test
na leptomeningitidu tbc A New diagnostic test for tuberculous leptomeningitis
CAS. LEK. CES. 1953, 92/4 (115-117) Illus. 5

Ten ml. CSF from the suspected patient is reduced by heating to about 1 ml. of this substance 0.4 ml. (in children 0.3 ml.) is injected intradermally into the same patient. After 48 hr. an infiltration develops in positive cases. Within 24 hr. after the injection an unspecific local reaction may occur, which, however, disappears before the possible appearance of the infiltration. In animal experiments it was demonstrated that a tuberculin-like material is in the CSF in tuberculous meningitis which results in the positive reaction. The test is negative in chronic cases of the disease treated by streptomycin. A series of 4 cases is added to demonstrate the reliability of the test.

SO: EXCERPTA MEDICA. Vol. 6, No. 7, Sect. VIII, July 1953.

KALINA, C.

Excerpta Medica Sec 6 Vol 9/5 May 55 Internal Medicine

2854. KALINA Č. and KROO H. Infek. Klin., Praha Bulovka. *Léčení epidemické cerebrospinální meningitidy na našem oddělení. The treatment of epidemic cerebrospinal meningitis at our department
 ČAS. LÉK. ČES. 1954, 93/34 (902-905) Graphs 3 Illus. 3
 Intrathecal application of any therapeutic is undesirable. Arachnoiditis, hydrocephalus or other neurological complications were only observed after intrathecal injections and intramuscular, if necessary intravenous chemotherapy is only applied (*p*-aminobenzene sulphonacetamide 0.5 g. /kg. body weight/day in 3 to 4 injections). Cyanosis of the face is mentioned as one of the possible complications of chemotherapy. Penicillin and other antibiotics are of secondary significance. The mortality is not higher than with intrathecal treatment. From 1945 there were 34 deaths (30%) among 112 patients between 0 and 2 yr. of age, 11 deaths (11%) among 94 patients between 2 and 12 yr. of age. The total number of patients was 316. From 1947 to 1952 the mortality was 9 to 17%, less than the average of all the years since 1945.
 Bloch - Doetinchem (XX, 6, 7, 8)

KALINA, Cestmir, MUDr; GROSS, Karel, MUDr

Cardiospasm with heterotopic cartilage and mucoid glands. Pediat.
listy, Praha 9 no.5:299-300 Sept-Oct 54.

1. Z detskeho oddeleni nemocnice Bulovky, Praha (for Kalina)
2. Z onkologickeho ustavu s prosektury men. Bulovky, Praha prednosta
prof. MUDr. V.Jedlicka (for Gross)

(CARDIOSPASM, in infant and child
caused by heterotopic cartilage & mucous gland in cardia)

(CARTILAGE
heterotopic in cardia, causing cardiospasm in inf.)

(STOMACH, physiology
cardiac gland in etiol. of cardiospasm in inf.)

CZECHOSLOVAKIA / Microbiology - General Microbiology. F

Abs Joun: Ref Zhur-Biol., No 9, 1958, 38283.

Author : Kalina, C., Padevet, M.

Inst : Not given.

Title : New Method for Staining Microorganisms.

Orig Pub: Ceskosl. mikrobiol., 1956, 1, No 4, 183-188.

Abstract: The method consists of staining non-fixated bacteria with methylene blue and subsequent oxidation with potassium ferricyanide or hydrogen peroxide and counterstaining by basic fuchsin. In these cases, in some of the bacteria studied a double stain appears; actively metabolizing cells are stained green-blue or blue, and inactive ones are stained red. This phenomenon is not observed in other bacteria.

Card 1/2

46

KALINA, ~~KRUML~~

CZECHOSLOVAKIA / Microbiology. Microbes Pathogenic to Humans and F-3
Animals

Abs Jour : Ref Zhur - Biol., No 2, 1958, No 5255

Author : Kalina, Kruml', Skrshidlovskaya, Gledikova

Inst : Not given

Title : Cultivation of Mycobacterium Tuberculosis in Tissue Cultures.

Orig Pub : Rozhl. tunerk. a nemococh plienich, 1956, 16, No 4, 178-180

Abstract : The medium for cultivating tubercular bacteria (TB) in tissue culture has the following composition: to a mixture of 80 parts of Hank's solution, 10 parts of embryonal extract and 10 parts of an active horse serum, are added 0.002% of phenol red and 100 units of penicillin per ml. The embryonal extract is prepared by emulsifying 0.6 ml of embryonal tissue taken from a ten-day old hen fetus

Card : 1/2

KALINA C.
EXCERPTA MEDICA Sec.6 Vol.11/3 Internal Med. Mar 57

1558. KALINA Č. Infek. Klin. Bulovka, Praha. *Toxické příznaky po chloramphenikolu. Toxic symptoms following the use of chloramphenicol ČAS.LEK.CES.1956, 95/6 (164-165)

Toxic symptoms were seen in 26 out of 138 patients with typhoid fever treated with chloramphenicol. In the beginning of intoxication nausea and vomiting appeared, then successively: diarrhoea, toxic stomatitis; tongue is red and tender; on the gingives, lips, palate and buccal surface there are exanthemas. In 12 patients there was a toxic exanthema, red spots 2 X 3 mm. in diameter on the face and breast. When administration of chloramphenicol is continued, collapse can appear. Exceptionally psychic disturbances can be seen (hallucinations, excitation). No agranulocytosis or thrombopenia was noted.

Procházka - Prague (XX, 6)

BESTAKOVA, Zdenka; KALINA, Cestmir; PADEVET, Milos

Meningoencephalitis caused by *Candida pseudotropicalis*.
Cas. lek. cesk. 95 no.43:1185-1188 26 Oct 56.

1. Bakteriologicko-serologicke oddeleni (prednosta doc. MUDr.
V. Wagner) a infekcni klinika (prednosta prof. MUDr. J. Pochazka)
nemocnice na Bulovce, Praha 8, Z. B., Praha 8 - Bulovka.

(MENINGOENCEPHALITIS, etiol. & pathogen.

Monilia pseudotropicalis in chickenpox in child (Cz))

(CHICKENPOX, in inf. & child

with meningoencephalitis caused by *Monilia pseudotropicalis*
(Cz))

(MONILIA, infect.

meningoencephalitis caused by *Monilia pseudotropicalis*
in chickenpox in child (Cz))

KALINA, Cestmir

Adaptation cycle of microbes. Acta Univ. Carol. [med.] (Praha) 10
no.4:299-314 '64.

1. Klinika infekcnich nemoci fakulty vseobecneho lekarstvi Univer-
sity Karlovy v Praze (prednosta prof. MUDr. J. Prochazka, DrSc.).

KALINA, D. F.

KALINA, D.F. (Bakitno Kievskoy oblasti)

Role of the pharmacy in training pharmaceutical personnel. Apt. delo
6 no. 6:39-41 N-D '57. (MIRA 10:12)
(PHARMACY--STUDY AND TEACHING)

1. Development of Progressive Russian Medicine by E. KATKOV. Journal of Public Health (Review of Physical Training and Hygiene) (Moscow, 1929) (Russian) (Soviet Medical Science) (Moscow, 1930) pp 765-767.
2. Significance of the Doctor on Psychological of Orthopedic Diseases and Rehabilitation. Journal of the Soviet Union of Physical Education (Moscow, 1930) pp 763-765.
3. Study of Residential Climatic Effects of Lower Lands of the Transcaucasian Republic and the Republic of Armenia. Journal of Physical Culture and Health (Moscow, 1930) (Russian) (Soviet Medical Science) (Moscow, 1930) pp 767-767.
4. Journal of Health Publishers of Socialist Countries (Moscow, 1930) pp 803-812.

KALINA, G.P.

Filtrable bacteria. Tr. Inst. mikrobiol., Moskva no. 1:44-62 1951.

(CLML 22:4)

1. Chernovitsy Medical Institute, Ukrainian SSR.

1. KALINA, G.P.
2. USSR (600)
4. Agriculture
7. Vegetative hybridization and the controled variability of bacteria. Kiev, Gosmedizdat USSR, 1952
9. Monthly List of Russian Accessions. Library of Congress, February, 1953. Unclassified.

1. KALINA, G.p.
2. USSR (600)
4. Science
7. Vegetative hydrodization and fixed variability in bacteria. Kiev, Gosizdat, USSR, 1952
9. Monthly List of Russian Accessions, Library of Congress, March, 1953. Unclassified.

1. KALINA, G. P.
2. USSR (600)
4. Microorganisms
7. Development of microbes in stages is an objective reality. Mikrobiologiya 22, No. 1, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953, Unclassified.

KALIHA, G.P.

Embryogenesis and ontogenesis of microbes. Mikrobiologiya 32 no.6:
723-729 N-D '53. (MLRA 6:12)

1. Chernovitskiy meditsinskiy institut.

(Microorganisms)

KALINA, G.P.

Stage development of microorganisms; objective reality. Mikrobiologiya,
Moskva 22 no.1:95-107 Jan-Feb 1953. (CJML 25:4)

~~Kalya~~ ~~N.A.~~ KALINA, G.P.
VIZIR, P.Ye.

"Development of microbial cells from precellular matter" by
H.P. Kalyna. Reviewed by P.E. Vizir. Mikrobiol. zhur. 17 no.2:69-74
'55 (MLRA 10:5)

(CELL) (MICRO-ORGANISMS)(KALYNA, H.P.)

KALINA, G.P., professor

Concerning P.E. Vizir's review of the book on the "Development of microbial cells from precellular matter," published in Vol. 2 of "Mikrobiologichnyi zhurnal" of the Academy of Sciences of the Ukrainian S.S.R. in 1955. Mikrobiol. zhur. 17 no.3: 55-59 '55 (MLRA 10:5)

1. Z Chernivets'kogo medichnogo institutu.
(CELLS) (MICROORGANISMS)

KALINA, G.

Answer to H.M. Frenkel's remarks. Mikrobiol. zhur. 17 no.3:75
'55 (MIRA 10:5)

(MICROORGANISMS)

KALINA, G.P.

Experimental foundation of the hypothesis of the phasic development
of microbes. Mikrobiol.shur. 18 no.1:52-60 '56. (MIRA 9:7)

1. Z Chernivets'kogo medichnogo insitutu.
(MICRO-ORGANISMS)

KALIYA, G.P.

Bacterial protoplasts; a survey. Zhur, mikrobiol. epid. i immun.
no.1:136-147 Ja '58. (MIRA 11:4)
(BACTERIA,
protoplasts, review (Rus))

G. P. KALINA

Nature, properties, and biological significance of the filtrable forms of microorganisms.

Report submitted at the 13th All-Union Congress of Hygienists, Epidemiologists and Infectionists, 1959.

KALINA, G.P.

Prof. V.M. Kosmodamianskii; on his 70th birthday and 45 years of
medical, scientific and public activities. Zhur.mikrobiol., epid.
i immu. 30 no.12:126-128 D '59. (MIRA 13:5)
(BIOGRAPHIES)

KALINA, G.P., prof.

Use duck and goose eggs. Zdorov'ie 6 no.5:30 My '60.

(MIRA 13:6)

(EGGS---TOXICOLOGY)

BUGROVA, V.I., kand. med. nauk; VINOGRADOVA, I.N., kand.biol. nauk;
 D'YAKOV, S.I., kand. med. nauk; ZHDANOV, V.M., prof.;
 ZHUKOV-VEREZHNIKOV, N.N., prof.; ZEMTSOVA, O.M., kand.
 med. nauk; IMSHENETSKIY, A.A., prof.; KALINA, G.P., prof.;
 KAULEN, D.R., kand. med. nauk; KOVALEVA, A.I., doktor med.
 nauk; KRASIL'NIKOV, N.A., prof.; KUDLAY, D.G., doktor biol.
 nauk; LEBEDEVA, M.N., prof.; PERETS, L.G., prof. [deceased];
 PEKHOV, A.P., doktor biol. nauk; PLANEL'YES, Kh.Kh., prof.;
 POGLAZOVA, M.N., kand. biol. nauk; PROZOROV, A.A.; SINITSKIY,
 A.A., prof.; FEDOROV, M.V., prof. [deceased]; SHANINA-VAGINA,
 V.I., kand.biol. nauk; VYGODCHIKOV, G.V., prof., namestitel'
 otv. red.; ADO, A.D., prof., red.; BAROYAN, O.A., prof., red.;
 BILIBIN, A.F., prof., red.; BOLDYREV, T.Ye., prof., red.;
 VASHKOV, V.I., doktor med. nauk, red.; VYAZOV, O.Ye., doktor
 med. nauk, red.; GAUZE, G.F., prof., red.; GOSTEV, V.S., prof.,
 red.; GORIZONTOV, P.D., prof., red.; GRINBAUM, F.T., prof.,
 red. [deceased]; GROMASHEVSKIY, L.V., prof., red.; YELKIN, I.I.,
 prof., red.; ZASUKHIN, L.N., doktor biol. nauk, red.;
 ZDRODOVSKIY, P.F., prof., red.; KAPICHNIKOV, M.M., kand. med.
 nauk, red.; KLEMPARSKAYA, N.N., prof., red.; KOSYAKOV, P.N.,
 prof., red.; LOZOVSKAYA, Ye.S., kand. med. nauk, red.;
 MAYSKIY, I.N., prof., red.; MUROMTSEV, S.N., prof., red.
 [deceased];

(Continued on next card)

BUGROVA, V.I.---(continued) Card 2.

NIKITIN, M.Ya., red.; NIKOLAYEVA, T.A., red.; PAVLOVSKIY, Ye.N., akademik, red.; PASTUKHOV, A.P., kand. med. nauk, red.; PETRISHCHEVA, P.A., prof., red.; POKROVSKAYA, M.P., prof., red.; POPOV, I.S., kand. med. nauk, red.; ROGOZIN, I.I., prof. red.; RUDNEV, G.P., prof., red.; SERGIYEV, P.G., prof., red.; SKRYABIN, K.I., akad., red.; SOKOLOV, M.I., prof. red.; SOLOV'YEV, V.D., prof., red.; TRIBULEV, G.P., dotsent, red.; CHUMAKOV, M.P., prof., red.; SHATROV, I.I., prof., red.; TIMAKOV, V.D., prof., red.toma; TROITSKIY, V.L., prof., red.toma; PETROVA, N.K., tekhn.red.;

[Multivolume manual on the microbiology, clinical aspects, and epidemiology of infectious diseases] Mnogotomnoe rukovodstvo po mikrobiologii klinike i epidemiologii infektsionnykh boleznei. Otv. red. N.N.Zhukov-Verezhnikov. Moskva, Medgiz. Vol.1. [General microbiology] Obshchaya mikrobiologiya. Otv. red. N.N.Zhukov-Verezhnikov. 1962. 730 p. (MIRA 15:4)

1. Deystvitel'nyy chlen Akademii meditsinskih nauk SSSR (for Zhdanov, Zhukov-Verezhnikov, Vygodchikov, Bilibin, Vashkov, Gromashevskiy, Zdrodovskiy, Rudnev, Sergiyev, Chumakov, Timakov, Troitskiy).

(Continued on next card)

BUGROVA, V.I.---(continued) Card 3.

2. Chlen-korrespondent Akademii nauk SSSR (for Inshenetskiy, Krasil'nikov). 3. Chlen-korrespondent Akademii meditsinskikh nauk SSSR (for Planel'yes, Baroyan, Boldyrev, Gorizontov, Petrishcheva, Rogozin). 4. Deystvitel'nyy chlen Vsesoyuznoy akademii sel'skokhozyaystvennykh nauk im. V.I.Lenina (for Miromtsev).

(MICROBIOLOGY)

ABELEV, G.I., kand. med. nauk; BUKRINSKAYA, A.G., kand. med. nauk;
 GEL'TSER, R.R., prof.; GOLINEVICH, Ye.M., prof.; ZHDANOV, V.M.,
 prof.; ZDRODOVSKIY, P.F., prof.; KALINA, G.P., prof.; KAULEN,
 D.R., kand. med. nauk; KIKTENKO, V.S., prof.; KRYLOVA, O.P.,
 kand. med. nauk; KUCHERENKO, V.D., kand. med. nauk; LOMAKIN,
 M.S., kand. med. nauk; MOSING, G.S., doktor med. nauk; PERSHINA,
 Z.G., kand. sel'khoz. nauk; PEKHOV, A.P., doktor biol. nauk;
 PESHKOV, M.A., prof.; TIKHONENKO, T.I., kand. med. nauk;
 TOVARNITSKIY, V.I., prof.; SHEN, R.M., prof.; ETINGOF, R.N.,
 kand. med. nauk; KALININA, G.P., prof., nauchnyy red. тома;
 ZHUKOV-VEREZHNIOV, N.N., prof., otv. red.; VYGODCHIKOV, G.V.,
 prof., zamest. otv. red.; TIMAKOV, V.D., prof., zam. otv. red.
 BAROYAN, O.A., prof., red.; KALINA, G.P., red.; PETROVA, N.K.,
 tekhn. red.

[Multivolume manual on the microbiology, clinic, and epidemiology
 of infectious diseases]Mnogotomnoe rukovodstvo po mikrobiologii
 klinike i epidemiologii infektsionnykh boleznei. Moskva, Medgiz,
 Vol.2. [General microbiology]Obshchaia mikrobiologiya. Red. V.M.
 Zhdanov. 1962. 535 p.

(MIRA 16:1)

(Continued on next card)

MELIKOVA, Yekaterina Nikolayevna; KALINA, G.P., red.; PRONINA, N.D.,
tekhn. red.

[Immunology of typhoid fever; infection and vaccination] Im-
munologiya briushnogo tifa; infektsiya i vaktsinatsiya. Mo-
skva, Medgiz, 1963. 226 p. (MIRA 16:6)
(TYPHOID FEVER--PREVENTIVE INOCULATION)

KALINA, G.P.; DIANOVA, Ye, V.; BUGROVA, V.I.; KRYLOVA, M.D.; PONOMAREVA, Ye. P.;
STEPANENKO, V.K.; ZVEREVA, V.A.

Problems of sanitary bacteriology. Uch. zap. Mosk. univ. ser. biol. i med. nauki.
i fig. no. 4: Frontpage '60 (MIRA 16:11)

Behavior of dysentery bacteria in an external medium. Ibid.: 5-10

KALINA, G.P.

Critique of Minkevich's so-called "temperature test" for determining the title of *Escherichia coli*. Uch.nap.Mosk.nauch. issl.inst.san.i gig. no.4:22-24 '60 (MIRA 16:11)

"Pseudo destruction" of dysentery bacteria in lactate products such as sour cream and sour milk, and methods for the detection of "secondary cultures". Ibid.:60-63

Irreversible changeability of dysentery bacteria in lactate products. Ibid.:64-67

*

ZHDANOV, Viktor Mikhaylovich; KALINA, G.P., prof., red.

[Evolution of infectious diseases in man] Evoliutsia
zaraznykh boleznei cheloveka. Moskva, Meditsina, 1964.
374 p. (MIRA 18:2)

MATVEYEV, K.I., prof., kand. med. nauk, red.; SOKOLOV, M.I.,
prof., red.; KALINA, G.P., red.

[Manual on the microbiological diagnosis of infectious
diseases] Rukovodstvo po mikrobiologicheskoi diagnostike
infektsionnykh boleznei. Moskva, Meditsina, 1964. 682 p.
(MIRA 17:6)

ALEKSANYAN, A.B., prof.; BEZDENEZHNYKH I.S., doktor med. nauk;
 BELYAKOV, V.D., doktor med. nauk; BESSMERTNYI, B.S., dokt.
 med. nauk; VASHKOV, V.I., prof.; GROMASHEVSKIY, L.V.,
 prof.; YELKIN, I.I., prof.; ZHDANOV, V.M., prof.;
 ZHMAYEVA, Z.M., kand. biol. nauk; KOVARSKIY, M.S., kand.
 med. nauk; NABOKOV, V.A., prof.; NOVOGORODSKAYA, E.M.,
 prof.; PAVLOVSKIY, Ye.N., akademik; PETRISHCHEVA, P.A.,
 prof.; PERVOMAYSKIY, G.S., prof.; POGODINA, L.H.; ROGOZIN,
 I.I., prof.; SUKHOVA, M.N., doktor biol. nauk; CHASOVNIKOV,
 A.A., kand. med. nauk; SHATROV, I.I., prof.; SHURABURA,
 B.L., prof.; YASHKUL', V.K., kand. med. nauk;
 ZHUKOV-VEREZHNIKOV, N.N., prof., otv. red.; BOLDYREV, T.I.,
 prof., red.; ZASUKHIN, D.N., doktor biol. nauk, red.;
KALINA, G.P., red.

[Multivolume manual on the microbiology, clinical aspects
 and epidemiology of communicable diseases] Mnogotomnoe ru-
 kovodstvo po mikrobiologii, klinike i epidemiologii infek-
 tsionnykh boleznei. Moskva, Meditsina. Vol.5. 1965.
 548 p. (MIRA 18:3)

1. Deystvitel'nyy chlen AMN SSSR (for Aleksanyan,
 Gromashevskiy, Zhdanov, Zhukov-Verezhnikov). 2. Nauch-
 korrespondent AMN SSSR (for Rogozin, Boldyrev).

SOV/112-57-5-9794

8 (0)

Translation from: Referativnyy zhurnal, Elektrotehnika, 1957, Nr 5,
pp 21-22 (USSR)

AUTHOR: Shmelev, A. N., Kalina, I. Ya.

TITLE: Perfecting Machine Manufacture of Type PO Conductor
(Usovershenstvovaniye mashiny dlya izgotovleniya provoda marki PO)

PERIODICAL: Sb. rats. predlozh. M-vo elektrotekhn. prom-sti SSSR, 1955,
Nr 54, pp 20-21

ABSTRACT: Type PO conductors consisting of a cotton or silk core, a nickel-chromium wire, and a cotton-yarn braid were formerly manufactured in three steps. It has been suggested that the winding machine be improved in such a way that the nickel-chromium wire imposition and braiding be done simultaneously. The improved machine construction is described; it includes an automatic device that stops the machine if there is a wire or cotton-strand break. The above reconstruction has resulted in increased productivity, in elimination of the braiding pass, and in a higher conductor quality. "Podol'skkabel' " Plant.

A.O.M.

Card 1/1

KALINA, J.

"The hydrocyclone as a thickener for suspensions of solids."
Uhli, Praha, Vol 4, No 1, Jan. 1954, p. 26

SO: Eastern European Accessions List, Vol 3, No 10, Oct 1954, Lib. of Congress

KALINA, J.

Direct titration of calcium and magnesium in vegetable material. p. 356.

Vol. 6, no. 7, 1955

PRUMYSL POTPAVIN. Praha.

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3, March 1956

DOSTAL, J.; WALCZOK, F.; KALINA, J.

Fluothane anesthesia in bandaging children with burns. Acta chir. orthop. traum. cech. 29 no.6:547-550 D '62.

1. Chirurgické oddelení krajské nemocnice v Ostravě, přednosta doc
dr. K. Typovský, CSc.
(BURNS) (HALOTHANE) (BANDAGES)

KALINA, JIRI

CZECHOSLOVAKIA/Human and Animal Physiology - The Effect of
Physical Factors.

V-13

Abs Jour : Ref Zhur - Biol., No 2, 1958, 9215
Author : Jiří Kalina and Ladislav Novák
Inst :
Title : A Study of Vitamins in Connection with Burns
Orig Pub : Prakt. lékař., 1956, 36, No 14, 322-323
Abstract : No abstract.

Card 1/1

STEPANEK, V.; DOLECEK, R.; KALINA, J.

Effect of neuroplegia on the course of radiation sickness. Cesk.
fysiol. 8 no.4:324-325 July 59.

1. Oddeleni pro lecbu popalenyh a RTG. odd. KUNZ, Ostrava V.
(RADIATION INJURY, exper.) (HIBERNATION, ARTIFICIAL, eff.)

DOLECEK, R.; KALINA, J.; KLABUSAY, L.; ENDRYAS, L.

Significance of the organism's reaction to burns and the possibility of influencing it. Acta chir.plast. 3 no.1:35-48 '61.

1. Medical Department (Director J.Cerny M.D.) and Burns Unit of the Surgical Department (Director Doc. K. Typovsky M.D.) of the Regional Hospital in Ostrava (Czechoslovakia).
(BURNS physiol)

KALINA, J.

- [illegible]

DOLECEK, R.; KALINA, J.

Recent views on the pathogenesis of some clinical features in burns disease. Acta chir. plast. 4 no.4:278-294 '62.

1. Burns Unit of the Surgical Department, Regional Hospital, Ostrava
3 (Czechoslovakia) Director: Doc. K. Typovsky, CSc. Medical Department,
Regional Hospital, Ostrava 3 Director: Dr. J. Cerny.
(BURNS) (ENERGY METABOLISM)

WALCZOK, F.; DOSTAL, J.; KALINA, J.

Anaesthesia in burns. Acta chir. plast. 4 no.4:299-304 '62.

1. Surgical Department, Regional Hospital, Ostrava 3 (Czechoslovakia)
Director: Doc. K. Typovsky, M.D., C.Sc.
(BURNS) (ANESTHESIA)

KALINA, J.; KLABUSAY, L.; KYSELA, B.; DOLECEK, R.

Metabolic changes after burns. I. Changes in metabolism of glycogen in burned rats. Acta chir. plast. 4 no.14-7 '62.

1. Surgical Department, Regional Health Centre, Ostrava (Czechoslovakia), Director: Doc. K. Typovsky, M. D. - Burns Unit, Director: J. Kalina, M. D. - Medical Department, Regional Health Centre, Ostrava, Director: J. Cerny, M. D. - Central Clinical Laboratories, Regional Health Centre, Ostrava, Director: B. Hajda, M. D.

(BURNS exper) (GLYCOGEN metab)

CZECHOSLOVAKIA

KALINA, Jiri, MD, Department of Surgery (Chirurgicke oddeleni) KMsP [Abbr. not identified]; Head (prednosta) Docent Dr K. TYPOVSKY, CSc, Ostrava.

"Transportation of Burned Patients."

Prague, Vojenske zdravotnicke listy, Vol 32, No 1, Mar 63; pp 1-2.

Abstract [English summary modified]: Brief discussion of times most suitable for transporting burn cases (either before or after but not during the shock phase); various precautions necessary. Authors' experiences are only with ambulance for up to 50 Km., but air transportation is commended theoretically.

KALINA, J.; TICHY, A.

Curling's ulcer in burns. Rozhl. chir. 42 no.4:246-251 Ap '63.

1. Oddelení pro léčbu popalených při chirurgickém oddělení krajské nemocnice s poliklinikou v Ostravě, vedoucí doc. dr. K. Typovský, CSc. Oddelení patologické anatomie krajské nemocnice s poliklinikou v Ostravě, vedoucí doc. dr. C. Dvoráček.

(BURNS) (DUODENAL ULCER)

DOBRKOVSKY, Mario; KALINA, Jiri

Survival of skin homotransplants from metabolically abnormal subjects. Sborn.ved.prac.lek.fak.Karlov.Univ. (Hrad.Kral.) 6 no.3:Supplement:311-313 '63.

1. Oddeleni lecby popaleny, Praha a Popaleninova stanice, Ostrava-Zabrch.

*

DOLECEK, R.; ENDRYAS, L.; KALINA, J.

New concepts on the pathogenesis of various clinical aspects of burns. Rozhl. chir. 42 no.4:217-225 Ap '63.

1. Oddeleni pro lecbu popalenych pri chirurgickem oddeleni krajske nemocnice s poliklinikou v Ostrave, vedouci doc. dr. K. Typovsky, CSc. Interni oddeleni krajske nemocnice s poliklinikou v Ostrave, vedouci MUDr. J. Cerny. Ustredni laboratore krajske nemocnice s poliklinikou v Ostrave, vedouci MUDr. B. Hajda.

(BURNS) (ADENOSINE TRIPHOSPHATE)
(ENERGY METABOLISM) (PROTEIN METABOLISM DISORDERS)
(LIPID METABOLISM) (CARBOHYDRATE METABOLISM)

KALINA, J.; JEZEK, M.

Burns in infants. Acta chir. orinop. urol. cech. 31 no.62
542-546 D * 64

1. Chirurgické oddelení Krajské nemocnice a poliklinikou
v Ostravě (vedoucí doc. dr. K. Typovský, CSc.)

KALINA, J.; HEJDA, B.

Vitamin C in patients with burns. Acta chir.plast. 7 no.2:139-145
'65

1. Surgical Department (Director: Doc. dr. K. Typovsky, CSc.) and
Central Clinical Laboratories (Director: Dr. B. Hejda), Regional
Hospital and Polyclinic, Ostrava, Czechoslovakia.

COUNTRY	: Czechoslovakia	H-17
CATEGORY	:	
ABS. JOUR.	: RZKhim., No. 21 1959, No.	75816
AUTHOR	: Macek, K., Macaperkova, J., and Kalina, K.	
INST.	: Not given	
TITLE	: The Use of Paper Chromatography in the Control of the Synthesis of Pyridoxine	
ORIG. PUB.	: Ceskoslov Farmac, 7, No 7, 400-402 (1958)	
ABSTRACT	<p>: A chromatographic method has been developed for the determination of the substances formed in the synthesis of pyridoxine by the method of Harris and Folkers (JACS, 61, 1245 (1939)). The new procedure makes it possible to determine with sufficient accuracy the degree of purity of the individual products, the amount of side products formed, or the concentration of starting materials.</p> <p style="text-align: right;">From authors' summary</p>	

CARD: 1/1

KALINA, I.

Heavy lathes of the V. I. Lenin Works. p. 388.

STROJIRENSTVI. (Ministerstvo tezkého strojirenství, Ministerstvo přesného strojirenství a Ministerstvo automobilového průmyslu a zemědělských strojů) Praha, Czechoslovakia. Vol. 9, no. 5, May 1959.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, no. 10, Oct. 1959, Uncl.

KALINA, L.

Simple phase compounding unit. Tekh.v sel'khoz. 21 no.8:47-49
Ag '61. (MIRA 14:7)

(Electricity in agriculture)

AUTHOR KALINA, L.I. Engineer 105-6-18/26
 TITLE A Compound Device for Generators in Rural Power Stations.
 (Kompaundiruyushcheye ustroystvo dlya generatorov sel'skikh elektrostansiy - Russian)
 PERIODICAL Elektrichestvo, 1957, Nr 6, pp 72 - 74 (U.S.S.R.)
 ABSTRACT A compounding device, which reacts to the $\cos \varphi_B$ of load and in this way automatically keeps the generator voltage constant with the necessary inertia (5%) within the range from idling to nominal load, is described. This device makes it possible to start short circuit asynchronous motors the efficiency of which is commensurable with that of the generator. Reaction to the $\cos \varphi_B$ is attained by the application of a three-core transformer. An experimental variety of this device for a 2,5 kw generator was produced and tested in the electric laboratory of the Technicum for the mechanization of agriculture at Talgar. The essential element in the automatic control circuit is the three-core transformer, the secondary current of which depends on the amount of the phase and the load. The transformer is characterized by its peculiar position and connection of windings, which leads to a qualitative modification of the character of the process and to a quantitative modification of conditions among the corresponding quantities during operation. There follows a detailed description of the operation of the transformer.
 (4 illustrations and 5 Slavic references).

Card 1/2

KALINA, L. I., Cand. Tech.Sci. (diss) "Investigation of Three-Shaft Transformer, Used in Systems for Automatic Regulation of Excitation of Generators of Rural Power Stations," Alma-Ata, 1961, 19 pp. (Combined Council All-Union Sci. Res. Inst. Mechaniz. of Agri. "VIM" and All-Union Sci. Res. Inst. for Electrification of Agri. "VIESKh") 200 copies (KL Supp 12-61, 267).

~~KALINA, M. F.~~

"Observations on the Design of the Ust'-Kamennogorsk Hydroelectric Power Plant." *φ 111*

in book - New Developments in the Design of Electric Equipment for Hydroelectric Power Plants, 1957. 222 p. Moscow-Leningrad, Gosenergoizdat.

(Data on the Conference on Design and Operation, Moscow, 16 - 24 May 1956.)

LATSINIK, Ye.Ya., prof.; SLOVESNIK, R.S.; SOKOL'SKAYA, G.T.; KALINA, O.S.
(Odessa)

Mistakes in the diagnosis of Botkin's disease and of obstructive
jaundice. Vrach.delo no.1:65-69 '60. (MIRA 13:6)

1. Gorodskaya infektsionnaya bol'nitsa.
(HEPATITIS, INFECTIOUS) (JAUNDICE)

VAYS, Kh.G.; KALINA, O.S. (Odessa)

Association of coarctation of the aorta with an aneurysm
of the cerebral artery. Vrach. delo no.10:137-138 0 '63.
(MIRA 17:2)

1. Pervaya gorodskaya infektsionnaya bol'nitsa Odessy i
klinika infektsionnykh bolezney (zav. - prof. L.K.
Korovitskiy) Odesskogo meditsinskogo instituta.